Table 3-1.
Stationary Indoor Air Sampling Results

| School | | | | Sensitivity | То | tal LA | PC | ME LA |
|--------------|---------------------------------------------|----------|----------|-------------|---------|-------------|---------|-------------|
| Name | Location | IndexID | Prep | (1/cc) | N Struc | Conc (s/cc) | N Struc | Conc (s/cc) |
| | IGYM | SI-00100 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| | Hallway across from room 1 | SI-00101 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| | Room 2 | SI-00102 | Direct | 0.00059 | 1 | 0.00059 | 0 | 0 |
| 1.11.1 | Hallway outside principal's office | SI-00103 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| Libby | Hallway outside room13 | SI-00104 | Direct | 0.00054 | 0 | 0 | 0 | 0 |
| Elementary | Room 14 | SI-00105 | Direct | 0.00055 | 0 | 0 | 0 | 0 |
| School | Room 19 | SI-00106 | Direct | 0.00060 | 0 | 0 | 0 | 0 |
| | Hallway-near cafeteria | SI-00107 | Direct | 0.00054 | 0 | 0 | 0 | 0 |
| | Room 25 | SI-00108 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| | Library | SI-00109 | Direct | 0.00055 | 0 | 0 | 0 | 0 |
| | Room 3 | SI-00073 | Direct | 0.00056 | 0 | 0 | 0 | 0 |
| | Outside men's room near Room 15 | SI-00074 | Indirect | 0.00057 | 0 | 0 | 0 | 0 |
| | Room 17 | SI-00075 | Direct | 0.00052 | 0 | 0 | 0 | 0 |
| | Outside library | SI-00076 | Direct | 0.00050 | 0 | 0 | 0 | 0 |
| Libby High | Hallway near vending machine | SI-00077 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| School | Room 38 | SI-00079 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| | Hallway outside Room 23 | SI-00080 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| | Room 29C | SI-00093 | Direct | 0.00056 | 0 | 0 | 0 | 0 |
| | Gym | SI-00094 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| | Hallway outside women's room near Room 32 | SI-00097 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| | Gym | SI-00061 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| | Main entrance hallway | SI-00063 | Direct | 0.00051 | 0 | 0 | 0 | 0 |
| | Outside Room 509 | SI-00064 | Direct | 0.00054 | 0 | 0 | 0 | 0 |
| | Room 503 | SI-00065 | Direct | 0.00060 | 0 | 0 | 0 | 0 |
| Libby Middle | | SI-00066 | Direct | 0.00060 | 0 | 0 | 0 | 0 |
| School | Outside Room 409 | SI-00067 | Direct | 0.00054 | 0 | 0 | 0 | 0 |
| | Between Rooms 306 & 307 | SI-00068 | Direct | 0.00053 | 0 | 0 | 0 | 0 |
| | By Room 210 common area | SI-00069 | Direct | 0.00051 | 1 | 0.00051 | 0 | 0 |
| | Room 207 | SI-00070 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| | Room 601; computer lab | SI-00071 | Direct | 0.00057 | 0 | 0 | 0 | 0 |
| | Superintendent's office | SI-00081 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| | Lower Level Hallway | SI-00082 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| | Business office | SI-00083 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| Libby Public | Lower level stairway | SI-00084 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| Schools | Upper level office, cental stairway | SI-00085 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| Admin. | Upstairs hallway | SI-00086 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| Building | Student break room | SI-00087 | Direct | 0.00056 | 0 | 0 | 0 | 0 |
| J | Classroom 7 | SI-00088 | Indirect | 0.00057 | 0 | 0 | 0 | 0 |
| | Classroom 11 | SI-00089 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| | Classroom 13 | SI-00090 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| | NE Gym | SI-00028 | Direct | 0.00056 | 0 | 0 | 0 | 0 |
| | SW Gym | SI-00029 | Direct | 0.00060 | 0 | 0 | 0 | 0 |
| | Hallway near main entry (West) | SI-00030 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| | Hallway in front of room #2 | SI-00031 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| Kootenai | Room 2 | SI-00032 | Direct | 0.00054 | 0 | 0 | 0 | 0 |
| Valley Head | Room 3 | SI-00041 | Direct | 0.00056 | 0 | 0 | 0 | 0 |
| Start | Central Hallway (outside W. girls restroom) | SI-00042 | Direct | 0.00058 | 0 | 0 | 0 | 0 |
| | Room 9 | SI-00043 | Direct | 0.00059 | 0 | 0 | 0 | 0 |
| | | | | 0.00059 | | | | 0 |
| | Room 10 | SI-00044 | Direct | บ.บบบล | 0 | 0 | 0 | () |

Note: One sample (SI-00078) appeared to have been tampered with because it contained a chalk-like substance. This sample was replaced with SI-00097.

Table 4-1.
Outdoor Activity Scenario Areas and Activities

| | | | | | | | % of | | | Number of | Number of | Number of |
|-------------------------------|-------------|------------------------------------|-----------------|----------|--------------------------------|---------------------------------|------------|--------------|-----------|-----------|-----------|-----------|
| | Receptor | | Sample Cassette | | | | Activity | Number of | Number of | Filters | Filters | Filters |
| Schoo Name | Group | Age | Height | Scenario | Location | Activity | Time | Participants | Events | Collected | Analyzed | Archived |
| | | | | 1 | Soccer field | Soccer | 100% | 3 | 3 | 9 | 3 | 6 |
| | Students | Pre-kindergarten; 3-4 year olds | 34 inches | _ | South | Swinging | 50% | 2 | 2 | 0 | 2 | |
| | | 3-4 year olds | | 2 | playground | General Use- Playground | 50% | 3 | 3 | 9 | 3 | 6 |
| Kootenai Valley Head Start | | | | | School-wide | Digging | 20% | | | | | |
| receional valley freda Clare | Maintenance | | Adult Breathing | 1 | School-wide | Raking | 40% | 1 | 3 | 3 | 3 | 0 |
| | Worker | Adult | Zone | | Sidewalks | Sweeping | 40% | | | | | |
| | | | | 2 | School-wide | Mowing | 90% | 1 | 3 | 3 | 3 | 0 |
| | | | | | 0 " | Weed Trimming | 10% | | | | • | |
| | | | | 1 | Soccer field | Soccer | 100% | 3 | 3 | 9 | 3 | 6 |
| | | Kindergarten- | | | North | Swinging | 25% 25% | 1 | | | | |
| | Students | Grade 3; | 42 inches | 2 | playground | General-use playground Swinging | 25% | 3 | 3 | 9 | 3 | 6 |
| | | 5-8 year olds | | | South playground | General Use- Playground | 25% | 1 | | | | |
| | | | | 3 | | Walking | 100% | 3 | 3 | 9 | 3 | 6 |
| Libby Elementary School | | | | 3 | Walking path School-wide | Digging | 20% | 3 | 3 | 9 | 3 | 0 |
| | | | | | School-wide | Raking | 40% | 1 | | _ | | _ |
| | Maintenance | | Adult Breathing | 1 | Blacktop and | _ | | 1 | 3 | 3 | 3 | 0 |
| | Worker | Adult | Zone | | sidewalks | Sweeping | 40% | | | | | |
| | | | | _ | School-wide | Mowing | 90% | 1 | 2 | 0 | 2 | 0 |
| | | | | 2 | School-wide | Weed Trimming | 10% | 1 | 3 | 3 | 3 | 0 |
| | | | | 1 | Soccer field | Soccer | 50% | | | | 3 | |
| | | | 52 inches | | Paved and | Swinging | 25% | 3 | 3 | 9 | | 6 |
| | Students | Grades 4-8; 9-13 year olds | | | gravel playgrounds | General Use- Playground | 25% | | 3 | 3 | 3 | Ü |
| | | 9-13 year olus | | | Football field | Soccer | 70% | | | | | |
| | | | | 2 | Northeast field | Baseball | 15% | 3 | 3 | 9 | 3 | 6 |
| Libby Middle School | | | | | | Frisbee | 15% | | | | | |
| | | | | | School-wide | Digging | 20% | | | | | |
| | | | | 1 | School-wide | Raking | 40% | , | 3 | 0 | 2 | 0 |
| | Maintenance | ance Adult | Adult Breathing | 1 | Blacktop, track, | Sweeping | 40% | 1 | 1 3 | 3 | 3 | 0 |
| | Worker | Addit | Zone | | amphitheater, and sidewalks | Sweeping | 40 /0 | | | | | |
| | | | | | | Mowing | 90% | | | | | |
| | | | | 2 | School-wide | Weed Trimming | 10% | 1 | 3 | 3 | 3 | 0 |
| | | | | | | General use- field | 20% | | | | | |
| | | 0 1 0 10 | A 1 1/ D (1) | 1 | North PE field | General use- sandpit | 10% | 3 | 3 | 9 | 3 | 6 |
| | Students | Grades 9-12; | Adult Breathing | | South PE field | Soccer | 70% | 1 | | | | |
| | | 14-18 year olds | Zone | | Varsity field | Football | 25% | | | | | |
| | | | | 2 | Practice field | Football | 75% | 3 | 3 | 9 | 3 | 6 |
| Libby High School | | | | | School-wide | Digging | 20% | | | | | |
| | | | | 1 | School-wide | Raking | 40% | 1 | 3 | 3 | 3 | 0 |
| | Maintenance | Adult | Adult Breathing | ' | Track | Leaf Blower | 23% | | J | J | J | O |
| | Worker | , taut | Zone | | Sidewalks | Sweeping | 17% | | | | | |
| | | | | 2 | School-wide | Mowing | 90% | 1 | 3 | 3 | 3 | 0 |
| | | 0 1 0 10 | | | | Weed Trimming | 10% | | | | | |
| | Students | Grades 8-12; | Adult Breathing | 1 | South Field | Swinging | 50% | 3 | 3 | 9 | 3 | 6 |
| | | 13-18 year olds | Zone | | | General Use- Playground | 50% | | | | | |
| Libby Administration Building | | | | 4 | School-wide | Digging | 20% | | | • | _ | ^ |
| LIDDY Administration Building | Maintenance | ۸ مال ه ۸ | Adult Breathing | 1 | | Raking | 40% | 1 | 3 | 3 | 3 | 0 |
| | Worker | Adult | Zone | | Sidewalks | Sweeping | 40% | | | | | |
| | | | | 2 | School-wide | Mowing Weed Trimming | 90% 10% | 1 | 3 | 3 | 3 | 0 |
| Libby High School and Libby | Maintenance | Adult | Adult Breathing | 1 | Parking lots | Walk Behind Sweeper | 10% | 1 | 3 | 3 | 3 | 0 |
| Administration Building | Worker | | Zone | | 3 - 2 - 2 | | | | | - | - | - |

Table 4-2.
Outdoor ABS Air Sampling Results

| School Name | | ĺ | | Sample | | Sensitivity | Tota | al LA | P∩ | ME LA |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------|--------------------|---------|----------|-------------|------|-------|----|-------|
| SE-0011 DigRate/Sweep SH-09 Direct 0.0029 0 0 0 0 0 0 0 0 0 | School Name | IndexID | Sample Task Desc | | Pren | | | | | |
| SE 0.0011 DigRate/Sweep | SS.IOOI HUIIIO | | | | | | | , , | | , , |
| Section Digital Residence Section Digital Digital Residence Section Digital Digital Section Digital Digital Section Digital Digi | | | 3 1 | | | | | | | |
| SE-00034 MowrEdge | | | ' | | | | | | | |
| Separate Separate | | | 0 1 | | | | 0 | 0 | 0 | 0 |
| Beby Elementary School | | SE-00117 | | | Direct | | 0 | 0 | 0 | 0 |
| Libby Filementary School School 10 Genetic Play(Swing) 87180/9 Indirect 0.0236 0 0 0 0 0 0 0 0 0 | | | Mow/Edge | 9/2/09 | Indirect | 0.0034 | 0 | 0 | 0 | 0 |
| Libby Filementary School School 10 Genetic Play(Swing) 87180/9 Indirect 0.0236 0 0 0 0 0 0 0 0 0 | | SE-00046 | Generic Play/Swing | 8/4/09 | Indirect | 0.0112 | 0 | 0 | 0 | 0 |
| SE-00014 Soccer | Libby Elementary School | SE-00110 | | 8/18/09 | Indirect | 0.0235 | 0 | 0 | 0 | 0 |
| SE-00144 Socoer | | SE-00197 | Generic Play/Swing | 9/2/09 | Indirect | 0.0389 | 1 | 0.039 | 1 | 0.039 |
| SE-00049 Walking Si-009 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | SE-00029 | Soccer | 8/3/09 | Direct | 0.0029 | 0 | 0 | 0 | 0 |
| SE-00096 Walking SE-007 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | SE-00114 | Soccer | 8/19/09 | Direct | 0.0028 | 0 | 0 | 0 | 0 |
| SE-00096 Walking SE-0023 Walking SE-0023 P3009 Direct 0.0028 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | SE-00183 | Soccer | 9/1/09 | Indirect | 0.0031 | 0 | 0 | 0 | 0 |
| SE-00011 DjiRake/Sweep 97,000 Direct 0,0028 0 0 0 0 0 0 0 0 0 | | SE-00049 | Walking | 8/5/09 | Direct | 0.0027 | 0 | 0 | 0 | 0 |
| SE-00171 Dig/Rake/Sweep 7/3009 Direct 0.0026 0 0 0 0 0 0 0 0 0 | | SE-00096 | Walking | 8/17/09 | Direct | 0.0028 | 0 | 0 | 0 | 0 |
| SE-00125 Sig-RakerSweep 872000 Direct 0.0030 0 0 0 0 0 0 0 0 0 | | SE-00223 | Walking | 9/3/09 | Direct | 0.0028 | 0 | 0 | 0 | 0 |
| SE-0016 | | SE-00011 | Dig/Rake/Sweep | 7/30/09 | Direct | 0.0026 | 0 | 0 | 0 | 0 |
| SE-00020 Mow SE-00199 Direct 0.0028 0 0 0 0 0 0 0 0 0 | | SE-00127 | Dig/Rake/Sweep | 8/20/09 | Direct | 0.0030 | 0 | 0 | 0 | 0 |
| SE-00129 MowlEdge | | SE-00163 | Dig/Rake/Sweep | 8/27/09 | Indirect | | 0 | 0 | 0 | 0 |
| SE-00159 MowlEdge | | | | 8/2/09 | Direct | 0.0028 | 0 | 0 | 0 | 0 |
| SE-00049 | | SE-00129 | Mow/Edge | 8/20/09 | Direct | 0.0030 | 0 | 0 | 0 | 0 |
| SE-00169 Football 891109 Direct 0.0027 0 | Libby High School | | | | Indirect | 0.0019 | | | | |
| SE-00167 Football 8927/09 Indirect 0.0025 1 0.0025 1 0.0025 1 0.0025 SE-00152 SE-00152 Soccer/generic field 8128/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 | Libby High School | | Football | | Direct | | 0 | 0 | 0 | 0 |
| SE-00025 Soccer/generic field 8/2/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00172 Soccer/generic field 8/20/09 Direct 0.0029 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00172 Soccer/generic field 8/28/09 Direct 0.0024 0 0 0 0 0 0 0 0 0 | | | • | | | | | | | |
| SE-00153 Dig/Rake/Sweep 875/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00213 Dig/Rake/Sweep 8/25/09 Direct 0.0023 0 0 0 0 0 0 0 0 0 | | | | | Direct | | | | | |
| SE-00231 Dig/Rake/Sweep 9/8/09 Indirect 0.0028 1 0.0028 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00061 Mow/Edge 8/6/09 Direct 0.0029 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00149 Mow/Edge 8/25/09 Indirect 0.0039 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00243 Mow/Edge 9/9/09 Indirect 0.0029 0 0 0 0 0 0 0 0 0 | | | | | | | - | | | |
| SE-00059 Soccer/Frisbee/Baseball 8/6/09 Direct 0.0025 0 0 0 0 0 0 0 0 0 | | | y . | | | | | | | |
| SE-00143 Socceri/Frisbee/Baseball 8/24/09 Direct 0.0028 0 0 0 0 0 0 0 0 0 | Libby Middle School | | | | | | | | | |
| SE-00242 Soccer/Frisbee/Baseball 9/9/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00067 Soccer/Swing/Generic Play 8/7/09 Indirect 0.0120 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00146 Soccer/Swing/Generic Play 8/25/09 Indirect 0.0028 0 0 0 0 0 | | | | | | | | | | |
| SE-00236 Soccer/Swing/Generic Play 9/8/09 Indirect 0.0107 1 0.011 1 0.011 | | | | | | | | | | |
| SE-00069 Dig/Rake/Sweep 8/7/09 Direct 0.0030 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00132 Dig/Rake/Sweep 8/21/09 Direct 0.0027 0 0 0 0 0 | | | , | | | | | • | | _ |
| SE-00214 Dig/Rake/Sweep 9/2/09 Direct 0.0024 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00081 Mow/Edge 8/10/09 Direct 0.0029 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00140 Mow/Edge S/24/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00228 Mow/Edge 9/3/09 Indirect 0.0029 0 0 0 0 0 | * | | 3 | | | | | | | |
| SE-0079 Generic Play/Swing 8/10/09 Indirect 0.0028 0 0 0 0 0 0 0 0 0 | Admin. Building | | | | | | | | | |
| SE-00136 Generic Play/Swing 8/21/09 Direct 0.0028 0 0 0 0 0 0 0 0 0 | | | 0 | | | | | | | |
| SE-00225 Generic Play/Swing 9/3/09 Direct 0.0028 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00103 Dig/Rake/Sweep 8/18/09 Direct 0.0029 0 0 0 0 0 0 0 0 0 | | | , , | | | | | | | |
| SE-00188 Dig/Rake/Sweep 8/31/09 Direct 0.0024 0 0 0 0 0 0 0 0 SE-00254 Dig/Rake/Sweep 9/11/09 Indirect 0.0028 0 0 0 0 0 0 0 0 0 | | | , | | | | | | | |
| SE-00254 Dig/Rake/Sweep 9/11/09 Indirect 0.0028 0 0 0 0 0 0 0 SE-00098 Mow/Edge 8/17/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00098 Mow/Edge 8/17/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00189 Mow/Edge 8/31/09 Direct 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 1 0.0022 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00247 Mow/Edge 9/10/09 Direct 0.0027 0 0 0 0 0 0 0 0 0 | | | | | | | | | | |
| SE-00004 Generic Play/Swing 7/30/09 Indirect 0.0097 0 0 0 0 0 0 0 0 0 | Kantanai Vallee Heed Co. 1 | | | | | | | | | |
| SE-00093 Generic Play/Swing 8/17/09 Direct 0.0029 0 0 0 0 SE-00260 Generic Play/Swing 9/11/09 Indirect 0.0216 0 0 0 0 SE-00106 Soccer 8/18/09 Direct 0.0027 0 0 0 0 SE-00180 Soccer 8/31/09 Direct 0.0024 0 0 0 0 | Kootenai valley Head Start | | | | | | | | | |
| SE-00260 Generic Play/Swing 9/11/09 Indirect 0.0216 0 0 0 0 SE-00106 Soccer 8/18/09 Direct 0.0027 0 0 0 0 SE-00180 Soccer 8/31/09 Direct 0.0024 0 0 0 0 | | | | | | | | | | |
| SE-00106 Soccer 8/18/09 Direct 0.0027 0 0 0 SE-00180 Soccer 8/31/09 Direct 0.0024 0 0 0 | | | , , | | | | | | | |
| SE-00180 Soccer 8/31/09 Direct 0.0024 0 0 0 | | | 7 7 | | | | | | | |
| | | | | | | | | | | |
| | | SE-00251 | Soccer | | | 0.0029 | 0 | 0 | | |

Table 4-3.
Soil Sample Locations

| School Name | Locations | N Samples |
|-------------------------------|---------------------------------------|-----------|
| | 1) Soccer field | 2 |
| Kootenai Valley Head Start | 2) School-wide | 2 |
| | 3) Digging sites | 3 |
| | 1) Soccer field | 2 |
| Libby Flomenton, School | 2) South playground | 2 |
| Libby Elementary School | 3) School-wide | 2 |
| | 4) Digging sites | 3 |
| | 1) Soccer field | 2 |
| Libbor Middle Oak and | 2) Football field and northeast field | 2 |
| Libby Middle School | 3) School-wide | 2 |
| | 4) Digging sites | 3 |
| | 1) North and south fields | 2 |
| | 2) Football field and practice field | 2 |
| Libby High School | 3) School-wide | 2 |
| | 4) Digging sites | 3 |
| | 1) South field | 2 |
| Libby Administration Building | 2) School-wide | 2 |
| | 3) Digging sites | 3 |

Table 4-4. Soil Sampling Results

| | | | Sample Date | | | Visible V | ermiculite | |
|----------------------|----------|-----------------------|-------------|------------|------|-----------|------------|------|
| School Name | IndexID | Sample Location | Begin | PLM Result | None | Low | Medium | High |
| | SE-00121 | Back Yard | 8/19/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00193 | Back yard | 9/1/09 | ND | 2 | 0 | 0 | 0 |
| | SE-00043 | Back/Front Yard | 8/4/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00037 | Back Yard | 8/3/09 | Tr | 29 | 1 | 0 | 0 |
| Libby Elementary | SE-00195 | Back yard | 9/1/09 | ND | 30 | 0 | 0 | 0 |
| School | SE-00039 | Back Yard | 8/3/09 | ND | 30 | 0 | 0 | 0 |
| | SE-00194 | Back yard | 9/1/09 | ND | 30 | 0 | 0 | 0 |
| | SE-00038 | Back/Front/Side Yard | 8/3/09 | Tr | 29 | 1 | 0 | 0 |
| | SE-00200 | Back/Front/Side yard | 9/2/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00013 | Front Yard/Back Yard | 7/30/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00126 | Back Yard (a) | 8/20/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00165 | Back/Front yard (a) | 8/27/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00016 | Back Yard | 7/31/09 | Tr | 28 | 2 | 0 | 0 |
| Libby High School | SE-00176 | Back yard | 8/28/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00015 | Back/Front/Side Yard | 7/31/09 | Tr | 29 | 1 | 0 | 0 |
| | SE-00177 | Back/ Front/Side yard | 8/28/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00014 | Side Yard | 7/31/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00161 | Side yd | 8/26/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00054 | Side Yard (a) | 8/5/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00151 | Back yard (a) | 8/25/09 | ND | 2 | 0 | 0 | 0 |
| | SE-00233 | Front/Side yard (a) | 9/8/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00063 | Back/Front/Side Yard | 8/6/09 | Tr | 30 | 0 | 0 | 0 |
| Libby Middle School | SE-00245 | Back/Front/Side Yard | 9/9/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00055 | Front Yard | 8/5/09 | ND | 30 | 0 | 0 | 0 |
| | SE-00234 | Front yard | 9/8/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00056 | Side Yard | 8/5/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00235 | Side yard | 9/8/09 | ND | 30 | 0 | 0 | 0 |
| | SE-00071 | Side Yard (a) | 8/7/09 | Tr | 2 | 0 | 0 | 0 |
| | SE-00134 | Side yard (a) | 8/21/09 | ND | 2 | 0 | 0 | 0 |
| Libby Public Schools | SE-00216 | Side yard (a) | 9/2/09 | Tr | 2 | 0 | 0 | 0 |
| Admin. Building | SE-00072 | Side Yard | 8/7/09 | Tr | 29 | 1 | 0 | 0 |
| Admin. Daliding | SE-00219 | Side yard | 9/2/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00073 | Side Yard | 8/7/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00217 | Side yard | 9/2/09 | ND | 30 | 0 | 0 | 0 |
| | SE-00104 | Back/Front Yard (a) | 8/18/09 | Tr | 1 | 1 | 0 | 0 |
| | SE-00186 | Back yard (a) | 8/31/09 | ND | 2 | 0 | 0 | 0 |
| Kootenai Valley Head | SE-00256 | Back/Side yard (a) | 9/11/09 | Tr | 2 | 0 | 0 | 0 |
| Start | SE-00105 | Back/Front/Side Yard | 8/18/09 | Tr | 30 | 0 | 0 | 0 |
| Jan | SE-00252 | Back yard | 9/10/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00100 | Side Yard | 8/17/09 | Tr | 30 | 0 | 0 | 0 |
| | SE-00257 | Back/Front/Side yard | 9/11/09 | Tr | 30 | 0 | 0 | 0 |

⁽a) Sample collected at digging locations.

Table 5-1.
Indoor Air Exposure Point Concentrations

| School Name | Concentration (s/cc) |
|----------------------------|----------------------|
| Kootenai Valley Head Start | < 0.00057 |
| Libby Elementary School | < 0.00056 |
| Libby Middle School | < 0.00056 |
| Libby High School | < 0.00054 |
| Libby Admin. Building | < 0.00058 |

PCME = phase contrast microscopy equivalent

s/cc = structures per cubic centimeter

Table 5-2.
Outdoor ABS Air Exposure Point Concentrations

| | Expos | sure Point Conc | entration (PCME | s/cc) |
|----------------------------|----------|-----------------------|-----------------|----------------|
| School Name | Student | Maintenance Worker | Lawn Mower | Power Sweeper |
| School Name | Otdaciit | VVOIKCI | Lawii Mowei | 1 Ower Oweeper |
| Kootenai Valley Head Start | < 0.0064 | < 0.0027 | 0.00074 | NA |
| Libby Elementary School | 0.0043 | < 0.0029 | < 0.0031 | NA |
| Libby Middle School | 0.0018 | < 0.0026 | < 0.0032 | NA |
| Libby High School | 0.00041 | < 0.0028 | < 0.0026 | < 0.0094 |
| Libby Admin. Building | < 0.0028 | < 0.0027 | < 0.0028 | < 0.0094 |

PCME = phase contrast microscopy equivalent s/cc = structures per cubic centimeter NA = not applicable

Table 5-3. Indoor Exposure Parameters

| Parameter | Students | Teachers | | |
|--------------|----------|----------|--|--|
| ET (hrs/day) | 7 | 8 | | |
| EF (days/yr) | 200 | 210 | | |
| TWF | 0.16 | 0.19 | | |

ET = exposure time

EF = exposure frequency

TWF = time-weighting factor

Table 5-4.
Outdoor Exposure Parameters

| | | Students | | | nance Wo | rkers | La | Lawn Mowing | | | Power Sweeping | | |
|----------------------------|---------|----------|--------|---------|----------|-------|---------|-------------|-------|---------|----------------|-------|--|
| | ET | EF | | ET | EF | | ET | EF | | ET | EF | | |
| School Name | hrs/day | days/yr | TWF | hrs/day | days/yr | TWF | hrs/day | days/yr | TWF | hrs/day | days/yr | TWF | |
| Kootenai Valley Head Start | 0.5 | 128 | 0.0073 | 1 | 128 | 0.015 | 10 | 22 | 0.025 | NA | NA | NA | |
| Libby Elementary School | 2 | 180 | 0.041 | 1.5 | 260 | 0.045 | 10 | 22 | 0.025 | NA | NA | NA | |
| Libby Middle School | 1.6 | 90 | 0.016 | 0.5 | 260 | 0.015 | 10 | 22 | 0.025 | NA | NA | NA | |
| Libby High School | 0.67 | 45 | 0.0034 | 1 | 260 | 0.030 | 10 | 22 | 0.025 | 2 | 22 | 0.005 | |
| Libby Admin. Building | 0.75 | 180 | 0.015 | 1.5 | 260 | 0.045 | 10 | 22 | 0.025 | 2 | 22 | 0.005 | |

ET = exposure time

EF = exposure frequency

TWF = time weighting factor

NA = not applicable

Table 5-5. Inhalation Unit Risks

| Receptor | School Name | a (years) | d (years) | IUR _{a,d} (PCME s/cc) ⁻¹ |
|---------------------------------------------------|----------------------------|--------------|--------------|-------------------------------------------------|
| | Kootenai Valley Head Start | 3 | 2 | 1.80E-02 |
| | Libby Elementary School | 5 | 6 | 4.56E-02 |
| Students | Libby Middle School | 11 | 3 | 1.94E-02 |
| | Libby High School | 14 | 4 | 2.26E-02 |
| | Libby Admin. Building | 13 | 6 | 3.35E-02 |
| Teachers | All | 20 | 25 | 6.90E-02 |
| Maintenance Workers, Lawn Mower, Power Sweeper | All | 20 | 25 | 6.90E-02 |

a = age at first exposure for the scenario being evaluated

d = duration of the exposure scenario being evaluated

IUR_{a,d} = Inhalation unit risk for an exposure that begins at age "a" and lasts for duration "d" (PCME s/cc)⁻¹

Table 5-6. Screening Level Risk Estimates

| | | EPC (PC | CME s/cc) | T۷ | TWF IUR _{a,d} | | Excess Cancer Risk | | |
|-----------------------|--------------------|-----------|-----------|--------|------------------------|---------------|--------------------|---------|----------|
| School Name | Receptor | Indoor | Outdoor | Indoor | Outdoor | (PCME s/cc)-1 | Indoor | Outdoor | Combined |
| | Student | < 0.00057 | < 0.0064 | 0.16 | 0.0073 | 0.02 | < 2E-06 | < 8E-07 | < 2E-06 |
| Kootenai Valley Head | Teacher | < 0.00057 | NA | 0.19 | NA | 0.07 | < 8E-06 | NA | < 8E-06 |
| Start | Maintenance Worker | NA | < 0.0027 | NA | 0.015 | 0.07 | NA | < 3E-06 | < 3E-06 |
| | Lawn Mower | NA | 0.00074 | NA | 0.025 | 0.07 | NA | 1E-06 | 1E-06 |
| | Student | < 0.00056 | 0.0043 | 0.16 | 0.041 | 0.05 | < 4E-06 | 8E-06 | < 1E-05 |
| Libby Elementary | Teacher | < 0.00056 | NA | 0.19 | NA | 0.07 | < 7E-06 | NA | < 7E-06 |
| School | Maintenance Worker | NA | < 0.0029 | NA | 0.045 | 0.07 | NA | < 9E-06 | < 9E-06 |
| | Lawn Mower | NA | < 0.0031 | NA | 0.025 | 0.07 | NA | < 5E-06 | < 5E-06 |
| | Student | < 0.00056 | 0.0018 | 0.16 | 0.016 | 0.02 | < 2E-06 | 6E-07 | < 2E-06 |
| Libby Middle School | Teacher | < 0.00056 | NA | 0.19 | NA | 0.07 | < 7E-06 | NA | < 7E-06 |
| Libby Middle Scribbi | Maintenance Worker | NA | < 0.0026 | NA | 0.015 | 0.07 | NA | < 3E-06 | < 3E-06 |
| | Lawn Mower | NA | < 0.0032 | NA | 0.025 | 0.07 | NA | < 6E-06 | < 6E-06 |
| | Student | < 0.00054 | 0.00041 | 0.16 | 0.0034 | 0.02 | < 2E-06 | 3E-08 | < 2E-06 |
| | Teacher | < 0.00054 | NA | 0.19 | NA | 0.07 | < 7E-06 | NA | < 7E-06 |
| Libby High School | Maintenance Worker | NA | < 0.0028 | NA | 0.030 | 0.07 | NA | < 6E-06 | < 6E-06 |
| | Lawn Mower | NA | < 0.0026 | NA | 0.025 | 0.07 | NA | < 4E-06 | < 4E-06 |
| | Power Sweeper | NA | < 0.0094 | NA | 0.025 | 0.07 | NA | < 2E-05 | < 2E-05 |
| | Student | < 0.00058 | < 0.0028 | 0.16 | 0.015 | 0.03 | < 3E-06 | < 1E-06 | < 5E-06 |
| | Teacher | < 0.00058 | NA | 0.19 | NA | 0.07 | < 8E-06 | NA | < 8E-06 |
| Libby Admin. Building | Maintenance Worker | NA | < 0.0027 | NA | 0.045 | 0.07 | NA | < 8E-06 | < 8E-06 |
| | Lawn Mower | NA | < 0.0028 | NA | 0.025 | 0.07 | NA | < 5E-06 | < 5E-06 |
| | Power Sweeper | NA | < 0.0094 | NA | 0.025 | 0.07 | NA | < 2E-05 | < 2E-05 |

NA = not applicable, receptor not evaluated for this scenario

EPC = exposure point concentration

TWF = time weighting factor

IUR = inhalation unit risk

Table 6-1.
Impact Assessment for Field and Laboratory Modifications

| Type | Number | Effective Date | Description | Impact on Data Evaluation |
|-------------|------------|----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| SAP Mods | LFO-000146 | 4/20/2009 | This modification details the actual sample locations for each of the stationary air pumps used in the school sampling. The figures are revisions to the figures presented in the SAP. These changes were necessary to ensure sample collection did not interfere with normal school activities or create unnecessary health and safety hazards. | None. |
| | LB-000016 | 4/23/2003 | Clarify ISO 10312 counting rules. | None. |
| | LB-000019 | 1/21/2003 | Standardize the recording format of grid openings where no countable structures are seen ("ND"). Standardize the selection of additional grids for reanalysis of TEM samples. | None. |
| | LB-000028 | 6/17/2003 | None. | |
| | LB-000029 | 4/25/2007 | None. | |
| | LB-000030 | 8/14/2003 | None. | |
| | LB-000031 | 1/27/2004 | Laboratory-specific clarification of potential inconsistencies among analysts when recording structures using AHERA/ASTM, as modified by LB-000017, LB-000017A, and LB-000031. | None. |
| Lab Mods | | 12/12/2006 | procedures. For dust, ashing will be incorporated opportunistically as part of the indirect preparation procedures as determined necessary by the analyst. | by eliminating organic debris and making it easier to detect and characterize LA structures. However, see Note [A]. |
| | LB-000066 | 2/28/2007 | Require all laboratories to provide information on the elemental composition of particles classified as LA, with the primary focus on sodium (Na) and potassium (K). | None. |
| | LB-000084 | 1/29/2008 | Modify the counting rules for all TEM analysis methodologies as they pertain to the presence of abundant chrysotile. | None. |
| | LB-000085 | 4/2/2008 | Laboratories shall perform analysis of a reference standard to calibrate the energy dispersive x-ray spectrometry (EDS) analysis. | None. |

Notes:

[A] For chrysotile, indirect preparation is known to increase structure counts due to dispersion of bundles and clusters. However, for LA, most structures occur as free fibers, and bundles and clusters are not common. Thus, indirect preparation at the Libby site is not believed to be a significant source of bias.